HYLOMAR°

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Hylomar Exhaust Assembly Paste EAP5

of the mixture

Registration number -

Synonyms None. SDS number 23

Issue date 24-May-2012

Version number 01
Revision date Supersedes date -

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Exhaust paste.

Uses advised against Use in accordance with supplier's recommendations.

1.3. Details of the supplier of the safety data sheet

Manufacturer: Hylomar Ltd.

Address: Hylo House, Cale Lane, New Springs,

Wigan, Greater Manchester,

UK, WN2 1JT

Telephone number: +44(0)1942 617000
E-mail address: info@hylomar.co.uk
Contact person: Technical Department
Emergency telephone: 1-760-476-3961

Access code: 333544

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Classification Xi:R36/38

The full text for all R-phrases is displayed in section 16.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.
Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Hazard summary

Physical hazards Not classified for physical hazards.

Health hazards Irritating to eyes and skin. Occupational exposure to the substance or mixture may cause adverse

health effects.

Environmental hazards Not classified for hazards to the environment.

Specific hazards Irritating to eyes and skin.

Main symptoms Irritation of eyes and mucous membranes. Exposed may experience eye tearing, redness, and

discomfort. Skin irritation. May cause redness and pain.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Silicic acid, sodium salt

Hazard pictograms



Hylomar Exhaust Assembly Paste EAP5

SDS UK

Signal word Warning

Hazard statements H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

Precautionary statements

Prevention P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P264 - Wash thoroughly after handling.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove Response

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention. P302 + P352 - IF ON SKIN: Wash with plenty of soap and water. P332 + P313 - If skin irritation occurs: Get medical advice/attention. P362 - Take off contaminated clothing and wash before reuse.

Store away from incompatible materials. **Storage**

Dispose of waste and residues in accordance with local authority requirements. Disposal

Supplemental label information Not applicable. 2.3. Other hazards Not assigned.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

CAS-No. / EC No. REACH Registration No. INDEX No. Chemical name % **Notes**

Silicic acid, sodium salt 10 - 30 1344-09-8

215-687-4

DSD: Xi;R36/37/38 Classification:

> CLP: Skin Irrit. 2;H315, Eye Irrit. 2;H319, STOT SE 3;H335

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments The full text for all R- and H-phrases is displayed in section 16. All concentrations are in percent

by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information If you feel unwell, seek medical advice (show the label where possible). Ensure that medical

personnel are aware of the material(s) involved, and take precautions to protect themselves.

Show this safety data sheet to the doctor in attendance.

4.1. Description of first aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Skin contact Immediately take off all contaminated clothing. Wash off immediately with soap and plenty of

water. Get medical attention if irritation develops and persists. Wash contaminated clothing before

Eye contact Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses, if present

and easy to do. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Drink a few glasses of water or milk. Get medical attention if any discomfort

continues.

4.2. Most important symptoms and effects, both acute and

delayed

Irritation of eyes and mucous membranes. Exposed may experience eye tearing, redness, and

discomfort. Skin irritation. May cause redness and pain.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards The product is not flammable.

5.1. Extinguishing media

Suitable extinguishing media

Water spray, foam, dry powder or carbon dioxide.

Hylomar Exhaust Assembly Paste EAP5

908216 Version No.: 01 Revision date: - Issue date: 24-May-2012 2/7 Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture By heating and fire, toxic vapours/gases may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in

the workplace.

Special fire fighting procedures

Use standard firefighting procedures and consider the hazards of other involved materials. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this SDS.

In case of spills, beware of slippery floors and surfaces.

For emergency responders Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or

onto the ground.

6.3. Methods and material for containment and cleaning up Scrape up the spilled material. Transfer to a container for disposal. Following product recovery,

flush area with water.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe

good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Keep away from heat, spark, open flames and other sources of ignition. Keep container tightly closed in a cool, well-ventilated place. Store away from incompatible materials. Incompatible materials: Fluorine. Fluorides.

Exhaust paste.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value	Form
Glycerol (56-81-5)	TWA	10 mg/m3	Mist.
Silicon dioxide (7631-86-9)	TWA	6 mg/m3	Inhalable dust.
		2.4 mg/m3	Respirable dust.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived No Effect Level (DNEL)

Components	Type	Route	Value	Form
Silicic acid, sodium salt (1344-09-8)	Workers	Dermal	1.59 mg/kg/day	Long term Systemic effects
		Inhalation	5.61 mg/m3	Long term Systemic effects
Silicon dioxide (7631-86-9)	Workers	Inhalation	4 mg/m3	Long term Systemic effects

Components	Туре	Route	Value	Form	
Silicic acid, sodium salt (1344-09-8)	Aqua (freshwater)	Water	7.5 mg/l		
	Aqua (intermittent releases)	Water	7.5 mg/l		
	Aqua (marine water)	Water	1 mg/l		
	Sewage Treatment Plant	Not applicable	348 mg/l		

8.2. Exposure controls

Appropriate engineering

controls

Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of

inhalation of vapours.

Individual protection measures, such as personal protective equipment

General information Personal protective equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear approved safety glasses or goggles.

Skin protection

- Hand protection Wear protective gloves. Nitrile or neoprene gloves are recommended. Be aware that the liquid

may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended

by the glove supplier.

- Other Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection Under normal conditions, respirator is not normally required. In case of inadequate ventilation or

risk of inhalation of dust, use suitable respiratory equipment with particle filter.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Viscous paste.

Physical state Liquid. **Form** Paste. Colour Beige.

Odour Almost odorless. **Odour threshold** Not available. pН Not applicable. Not available. Melting point/freezing point Initial boiling point and boiling

range

Not available.

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available

(%)

Not available. Vapour pressure Not available. Vapour density

Relative density 1.89 (25 °C) (Water = 1) Solubility(ies) Insoluble in water.

Partition coefficient (n-octanol/water)

Not available.

Not available. **Decomposition temperature** Not available Viscosity **Explosive properties** Not available. Oxidising properties Not available.

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Heat, flames and sparks. 10.5. Incompatible materials

Fluorine. Fluorides.

10.6. Hazardous decomposition products Silicon oxides.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Ingestion Ingestion may cause irritation and malaise.

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Irritation of eyes and mucous membranes. Exposed may experience eye tearing, redness, and **Symptoms**

discomfort. Skin irritation. May cause redness and pain.

11.1. Information on toxicological effects

May cause discomfort if swallowed. Acute toxicity

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Not classified. Respiratory sensitisation Skin sensitisation Not classified. Germ cell mutagenicity Not classified. Carcinogenicity Not classified. Reproductive toxicity Not classified. Not classified. Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Mixture versus substance

information

Not classified.

Not applicable.

Other information No other specific acute or chronic health impact noted.

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test results**

Silicic acid, sodium salt (1344-09-8)

Aquatic

EC50 Crustacea Water flea (Ceriodaphnia dubia) 0.28 - 0.57 mg/l, 48 hours Fish LC50 Western mosquitofish (Gambusia affinis) 1800 mg/l, 96 hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative potential Not available Not available. **Bioconcentration factor (BCF)**

12.4. Mobility in soil Not available. Mobility in general The product is insoluble in water.

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

None known. 12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Hylomar Exhaust Assembly Paste EAP5 908216 Version No : 01 Revision date: -Issue date: 24-May-2012 **EU waste code**The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in

sealed containers at licensed waste disposal site. Dispose of contents/container in accordance

with local/regional/national/international regulations.

SECTION 14: Transport information

ADR

The product is not covered by international regulation on the transport of dangerous goods.

RID

The product is not covered by international regulation on the transport of dangerous goods.

ADN

The product is not covered by international regulation on the transport of dangerous goods.

IATA

The product is not covered by international regulation on the transport of dangerous goods.

IMDG

The product is not covered by international regulation on the transport of dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorisation

Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Silicic acid, sodium salt (CAS 1344-09-8)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not listed

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations

15.2. Chemical safety assessment

Follow national regulation for work with chemical agents. No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations CLP: Regulation No. 1272/2008.

DNEL: Derived No-Effect Level.

PBT: Persistent, bioaccumulative and toxic. PNEC: Predicted No-Effect Concentration. vPvB: Very Persistent and very Bioaccumulative.

References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS) ESIS (European chemical Substances Information System)

Information on evaluation method leading to the classification of mixture

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if

available. For details, refer to Sections 9, 11 and 12.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15 R36/37/38 Irritating to eyes, respiratory system and skin.

R36/38 Irritating to eyes and skin.

H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

Training information Follow training instructions when handling this material.

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.

Hylomar Exhaust Assembly Paste EAP5

908216 Version No.: 01 Revision date: - Issue date: 24-May-2012

SDS UK